

**By Registered Post with Ack. Due &  
By e-Mail**

Office of the Engineer-in-Chief (Admn.),  
I & CAD Dept., Errum Manzil, TS., Hyderabad.

Show Cause Notice No. RC/ENC/D2/21032047/2021-2

Dated: 25.06.2021.

Read: 1. This office Proc. No. Rc/ENC/D2/21032047/2021, dt. 06.04.2021.  
2. This Office Circular Memo. No. Rc/ENC/D2/Transfers/2021, Dt. 23.04.2021.

Sub: Estt. - I&CAD Dept - TIES - Sri Agulduty Rajaji Kannaiah (DOB:12.05.1979, Emp. Id: 2595720, Zone-VI), Assistant Executive Engineer - Transferred and Posted to Irrigation Sub Division No. 2, Lingamet of Irrigation Division No. 4, Yellareddy of Irrigation Circle, Kamareddy - Not Joined in the new station - Show Cause Notice - Issued.

\*\*\*

Sri Agulduty Rajaji Kannaiah (DOB:12.05.1979, Emp. Id: 2595720, Zone-VI), Assistant Executive Engineer working in Irrigation Sub Division No. 3, Medchal of Irrigation Division No. 1, Hyderabad of Irrigation Circle, Hyderabad was transferred and posted to Irrigation Sub Division No. 2, Lingamet of Irrigation Division No. 4, Yellareddy of Irrigation Circle, Kamareddy vide reference 1<sup>st</sup> read above and was directed to join in the new station after getting proper relief in the present station.

Further, certain instructions were issued to AEE/ AEs who were transferred vide reference 2<sup>nd</sup> read above, to join on or before 01.05.2021, otherwise disciplinary action will be initiated against them as per rules in force. But the AEE has not joined in the new station so far.

Therefore, Sri Agulduty Rajaji Kannaiah, Assistant Executive Engineer is directed to showcase as to why necessary disciplinary action should not be initiated against him for disobeying the instructions of the Undersigned issued vide reference 1<sup>st</sup> and 2<sup>nd</sup> read above. He should submit his explanation within a week days from the date of issue of the Show Cause Notice.

Sd/- G. ANIL KUMAR, Dt. 25.06.2021.  
Engineer-in-Chief (Admn.)

To

Sri Agulduty Rajaji Kannaiah, Assistant Executive Engineer  
H. No: 2-61, Near Gandhi Statue, Lingampally (V),  
Serilingampally, RR Dist - 500019.

**through e-Mail:** kannasvit@gmail.com

Copy to the Chief Engineer (Irrigation), Kamareddy for information.  
Copy to the Chief Engineer (Irrigation), Hyderabad for information.  
Copy to the Superintending Engineer, Irrigation Circle, Hyderabad for information.  
Copy to the file/ spare.

*exm*  
*26/6/21*  
for Engineer-in-Chief (Admn.)

*26/6/21*

**By Registered Post with Ack. Due &  
By e-Mail**

Office of the Engineer-in-Chief (Admn.),  
I & CAD Dept., Errum Manzil, TS., Hyderabad.

Show Cause Notice No. RC/ENC/D2/21032047/2021-1

Dated: 25.06.2021.

Read: 1. This office Proc. No. Rc/ENC/D2/21032047/2021, dt. 06.04.2021.  
2. This Office Circular Memo. No. Rc/ENC/D2/Transfers/2021, Dt. 23.04.2021.

Sub: Estt. – I&CAD Dept – TIES – Sri Paladi Srikanth (DOB:16.01.1971, Emp. Id: 1405777, Zone-VI), Assistant Engineer – Transferred and Posted to Irrigation Sub Division No. 4, Thadvai of Irrigation Division No. 4, Yellareddy of Irrigation Circle, Kamareddy – Not Joined in the new station – Show Cause Notice – Issued.

\*\*\*

Sri Paladi Srikanth (DOB:16.01.1971, Emp. Id: 1405777, Zone-VI), Assistant Engineer working in Irrigation Sub Division No. 1, Ibrahimpatnam of Irrigation Division No. 1, Hyderabad of Irrigation Circle, Hyderabad was transferred and posted to Irrigation Sub Division No. 4, Thadvai of Irrigation Division No. 4, Yellareddy of Irrigation Circle, Kamareddy vide reference 1<sup>st</sup> read above and was directed to join in the new station after getting proper relief in the present station.

Further, certain instructions were issued to AEE/ AEs who were transferred vide reference 2<sup>nd</sup> read above, to join on or before 01.05.2021, otherwise disciplinary action will be initiated against them as per rules in force. But the AEE has not joined in the new station so far.

Therefore, Sri Paladi Srikanth, Assistant Engineer is directed to showcase as to why necessary disciplinary action should not be initiated against him for disobeying the instructions of the Undersigned issued vide reference 1<sup>st</sup> and 2<sup>nd</sup> read above. He should submit his explanation within a week days from the date of issue of the Show Cause Notice.

Sd/- G. ANIL KUMAR, Dt. 25.06.2021.  
Engineer-in-Chief (Admn.)

To

Sri Paladi Srikanth, Assistant Engineer.  
Plot No. 934 & 935, Vinayaka Hills, Phase 2, Road No. 17, Almasguda,  
Balapur (M), RR District.

**through e-Mail:** [srikanthpaladi72@gmail.com](mailto:srikanthpaladi72@gmail.com)

Copy to the Chief Engineer (Irrigation), Kamareddy for information.  
Copy to the Chief Engineer (Irrigation), Hyderabad for information.  
Copy to the Superintending Engineer, Irrigation Circle, Hyderabad for information.  
Copy to the file/ spare.

*rk*  
*26/6/21*  
for Engineer-in-Chief (Admn.)

*rk*  
*26/6/21*